
U.S. DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY


U.S. DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY



# WATER SUPPLY OUTLOOK
and
# FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS
for
# UTAH

UNITED STATES DEPARTMENT of AGRICULTURE···SOIL CONSERVATION SERVICE.
and
STATE ENGINEER of UTAH

In cooperation with U.S. Forest Service, Bureau of Reclamation, Utah Fish and Game Dept., Utah Agricultural Experiment Station, U.S. National Park Service, U.S. Geological Survey; and other Federal, State, and private organizations.

AS OF
**JAN. 1, 1963**

# UNITED STATES DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

*To Recipients of Water Supply Outlook Reports:*

The climate of the cultivated and populated areas of the West is characterized by relatively dry summer months. Such precipitation as occurs falls mostly in the winter and early spring months when it is of little immediate benefit to growing crops. Most of this precipitation falls as mountain snow which stays on the ground for months, melting later to sustain streamflow during the period of greatest demand during late spring and summer. Thus, nature provides in mountain snow an imposing water storage facility.

The amount of water stored in mountain snow varies from place to place as well as from year to year and accordingly, so does the runoff of the streams. The best seasonal management of variable western water supplies results from advance estimates of the streamflow.

A snow survey consists of a series of about ten samples taken with specially designed snow sampling equipment along a permanently marked line, up to 1000 feet in length, called a snow course. The use of snow sampling equipment provides snow depth and water equivalent values for each sampling point. The average of these values is reported as the snow survey measurement for a snow course.

Snow surveys are made monthly or semi-monthly beginning in January or February and continue through the snow season until April, May or June. Currently more than 1400 western snow courses are measured each year. These measurements furnish the key data for water supply forecasts.

Streamflow forecasts are obtained by a comparison of total or maximum snow accumulation, as measured by snow water equivalent, to the subsequent spring and summer or snowmelt season runoff over a period of years. The snow water equivalent measured in selected snow courses provides most of the index to the streamflow forecast for the following season. More accurate forecasts are usually obtained when other factors such as soil moisture, base flow and spring precipitation are considered and included in the forecast procedure. Early season forecasts assume average climatic conditions through the snowmelt season.

Listed below are the Federal-State-Private Cooperative Snow Survey and Water Supply Forecast reports available for the West which contain detailed information on snow survey measurements, streamflow forecasts, reservoir storage, soil moisture and other guide data to water management and conservation decisions. Soil Conservation Service Reports may be secured from Water Supply Forecasting Unit, Soil Conservation Service, P.O. Box 4170, Portland 8, Oregon.

## PUBLISHED BY SOIL CONSERVATION SERVICE

| REPORTS | ISSUED | LOCATION | COOPERATING WITH |
|---|---|---|---|
| **RIVER BASINS** | | | |
| WESTERN UNITED STATES | MONTHLY (FEB.-MAY) | PORTLAND, OREGON | ALL COOPERATORS |
| **STATES** | | | |
| ALASKA | MONTHLY (MAR.-MAY) | PALMER, ALASKA | ALASKA S.C.D. |
| ARIZONA | SEMI-MONTHLY (JAN.15 - APR.1) | PHOENIX, ARIZONA | SALT R. VALLEY WATER USERS ASSOC.<br>ARIZ. AGR. EXP. STATION |
| COLORADO AND NEW MEXICO | MONTHLY (FEB.-MAY) | FORT COLLINS, COLORADO | COLO. STATE UNIVERSITY<br>COLO. STATE ENGINEER<br>N. MEX. STATE ENGINEER |
| IDAHO | MONTHLY (JAN.-JUNE) | BOISE, IDAHO | IDAHO STATE RECLAMATION ENGINEER |
| MONTANA | MONTHLY (JAN.-JUNE) | BOZEMAN, MONTANA | MONT. AGR. EXP. STATION |
| NEVADA | MONTHLY (JAN.-MAY) | RENO, NEVADA | NEVADA DEPT. OF CONSERVATION AND NATURAL RESOURCES - DIVISION OF WATER RESOURCES |
| OREGON | MONTHLY (JAN.-JUNE) | PORTLAND, OREGON | OREG. STATE UNIVERSITY<br>OREGON STATE ENGINEER |
| UTAH | MONTHLY (JAN.-JUNE) | SALT LAKE CITY, UTAH | UTAH STATE ENGINEER |
| WASHINGTON | MONTHLY (FEB.-JUNE) | SPOKANE, WASHINGTON | WN. STATE DEPT. OF CONSERVATION |
| WYOMING | MONTHLY (FEB.-JUNE) | CASPER, WYOMING | WYOMING STATE ENGINEER |

## PUBLISHED BY OTHER AGENCIES

| REPORTS | ISSUED | AGENCY |
|---|---|---|
| BRITISH COLUMBIA | MONTHLY (FEB.-JUNE) | WATER RIGHTS BR., DEPT. OF LANDS, FORESTS AND NATURAL RESOURCES, PARLIAMENT BLDG., VICTORIA, B.C., CANADA |
| CALIFORNIA | MONTHLY (FEB.-MAY) | CALIF. DEPT. OF WATER RESOURCES, P.O. BOX 388, SACRAMENTO, CALIF. |

USDA SCS PORTLAND, ORE. 1962

# WATER SUPPLY OUTLOOK
and
# FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS
for
# UTAH

JANUARY 1, 1963

*Report prepared by*

GREGORY L. PEARSON, Snow Survey Supervisor

*and*

GARRY DINSDALE, Asst. Snow Survey Supervisor

U.S. SOIL CONSERVATION SERVICE
SNOW SURVEY SECTION
222 SOUTH WEST TEMPLE
SALT LAKE CITY 1, UTAH

*Issued by*

WAYNE D. CRIDDLE
STATE ENGINEER
STATE OF UTAH
SALT LAKE CITY, UTAH

J.A. LIBBY
STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
SALT LAKE CITY, UTAH

DR. D.W. THORNE
DIRECTOR
UTAH AGRICULTURAL
EXPERIMENT STATION
LOGAN, UTAH

# WATER SUPPLY OUTLOOK
as of
JANUARY 1, 1963

**A record or near record low snowpack for January 1, now lies on all watersheds of Utah. Most new records are in the northern half of the state, which has not experienced as many severe droughts in the last dozen years as southern Utah. The snowpack is 23% of average for the state as a whole. Soil moisture is generally below average. Forecasts of next summer's streamflow now range between 40% and 65% of average for most streams.**

With the snowpack in Utah's mountains ranging from a low of 4% of average on the American Fork river to a high of 54% on Salina Creek, the 1963 water supply outlook is certainly not for a "Bright New Year". The snowpack on most watersheds varies between 15% and 30% of average.

Of the 57 snow courses measured this month, 26 set new record low readings, with most of the remaining courses at or near their previous lows.

If the present drought trend breaks, so that we start getting normal snowfall again, by the first of April the snowpack will have built up until it will be about 55% to 65% of average on the low and intermediate elevation watersheds. Examples of such watersheds are the Little Bear river in Cache Valley, the Strawberry reservoir, the Strawberry, Spanish Fork and American Fork rivers. On the higher elevation watersheds the snowpack will be about 65% to 75%. Included among these are the Logan river, the Weber river above Oakley, the main Uintah Basin streams(excluding the Strawberry river), the tributaries of the San Pitch and San Rafael rivers.

Because of the extended periods of dry weather experienced last summer and fall, soil moisture underneath the snowpack is generally below average. This means that a greater than normal amount of snow water will be required to prime the soil next spring before runoff begins.

Combining snowpack and soil moisture conditions to determine how much water can be expected in the streams next summer, we find forecasts varying from a low 30% of average on the Bear river at Woodruff and Hobble Creek near Springville, to a high of 74% on the East Fork Sevier river. Most forecasts range between 40% and 65%. These forecasts assume that we will have average snowfall and rain for the rest of the winter and spring months.

In northern Utah the forecasts are for about the same runoff as was experienced in 1960. The outlook is poorer than this for the streams coming from the mountains near Castledale, Ferron and the Mt. Pleasant to Mayfield areas. Here, streams are expected to yield essentially the same water they did two years ago, in 1961.

Examples of forecasts for various areas of the state are as follows: In Cache Valley the Logan river is forecast at 63%, the Blacksmith Fork river at 46%. Moving southward, inflow to Pineview reservoir is expected to be 50%, Chalk Creek at Coalville - 36%, Weber at Oakley - 67%. Near Salt Lake, the Cottonwood Creeks are forecast at 70%, while expected inflow to Utah Lake is 54%, inflow to Strawberry reservoir - 36% and the Provo River at Vivian Park - 47%.

In the Uintah Basin, the Strawberry river is expected to flow at 38%, while the remaining streams are forecast at 60% to 70%. Inflow to Scofield reservoir on the Price river, the tributaries of the San Pitch and San Rafael rivers are all forecast at 40% to 55%.

In southern Utah, forecasts range between 50% and 65% for the streams heading near Cedar Breaks(Sevier, Virgin and smaller streams), as well as the Beaver river, Clear Creek near Sevier and inflow to the Sevier river between Kingston and Vermillion Dam.

While total water stored in the state's reservoirs is 158% of last year at this time, it is only 73% of average. As shown on the reservoir storage page, carryover water supplies compare favorably with average on the Weber-Ogden river system, in Deer Creek, Moon Lake and Scofield reservoirs. It is particularly poor in Sevier Bridge(16% of average) and in Strawberry reservoir(37%).

Since in the average year there is still 60% to 65% of the snowpack yet to come, the water outlook can change considerably - either up or down - as the season progresses. However, because of the present extremely light snowpack, if the irrigation season is to begin with an average water supply outlook, snowfall for the next three months will have to be from about 150% to 165% of average.

## RESERVOIR STORAGE ( 1,000 Ac. Ft. )

| BASIN or STREAM | RESERVOIR | USABLE CAPACITY | MEASURED ( FIRST OF MONTH) | | |
|---|---|---|---|---|---|
| | | | THIS YEAR | LAST YEAR | AVERAGE[a] |
| **GREAT BASIN** | | | | | |
| Bear River | Bear Lake | 1421.0 | 717.3 | 479.5 | 806.4 |
| | Woodruff Narrows | 26.5 | 12.4 | - - | - - |
| Little Bear | Hyrum | 15.3 | 6.9 | 7.4 | 9.8 |
| Ogden | Pineview | 110.0 | 53.0 | 10.6 | 7.2 |
| Weber | Rockport | 59.1 | 32.3 | 10.6 | - - |
| | Echo | 73.9 | 24.3 | 12.5 | 26.3 |
| | East Canyon | 28.7 | 16.3 | 2.0 | 14.1 |
| Provo | Deer Creek | 149.7 | 120.7 | 49.0 | 84.8 |
| Spanish Fork | Strawberry | 270.0 | 47.3 | 16.2 | 128.6 |
| Utah Lake | Utah Lake (b) | 1149.0 | 205.7 | 161.8 | 516.7 |
| Sevier River | Otter Creek | 52.5 | 14.6 | 12.0 | 21.6 |
| | Piute | 74.0 | 17.6 | 14.1 | 29.6 |
| | Sevier Bridge | 236.0 | 18.8 | 25.2 | 120.1 |
| Beaver River | Rocky Ford | 23.3 | 5.7 | 5.3 | 11.9 |
| **COLORADO RIVER DRAINAGE** | | | | | |
| Lake Fork | Moon Lake | 35.8 | 12.5(c) | 20.3 | 10.6 |
| Price River | Scofield | 65.8 | 16.9 | 1.3 | 13.7 |

All data contained in this table supplied by the U.S.Geological Survey

*(a) 1943-57 average. (b) Active capacity taken at 3.1 feet above compromise point. (c) Partly estimated.*

## COMPARISON of SNOW COVER

| RIVER BASIN or TRIBUTARY WATERSHED | NO. of COURSES AVERAGE | THIS YEARS SNOW WATER EXPRESSED AS PERCENT OF : | |
|---|---|---|---|
| | | LAST YEAR | AVERAGE * |
| **GREAT BASIN** | | | |
| Smith's Fork - Bear River | 2 | 23 | 32 |
| Logan River | 3 | 12 | 17 |
| Ogden River | 4 | -- | 16 |
| Weber River above Echo Dam | 6 | 18 | 22 |
| East Canyon Creek | 3 | 34 | 35 |
| Farmington Creek | 2 | 18 | 29 |
| Salt Lake Area | 4 | 26 | 27 |
| Tooele Area | 1 | 23 | 28 |
| American Fork River | 3 | 3 | 4 |
| Provo River above Vivian Park | 7 | 12 | 14 |
| Strawberry Reservoir Valley | 3 | 2 | 5 |
| Payson Creek | 2 | 29 | 40 |
| Sevier River above Hatch | 3 | 16 | 12 |
| East Fork Sevier River | 3 | 45 | 41 |
| Clear Creek above Sevier | 1 | 40 | 28 |
| Salina Creek | 2 | 48 | 54 |
| San Pitch River | 4 | 14 | 18 |
| Coal Creek-Cedar City | 3 | 21 | 19 |
| **COLORADO RIVER BASIN** | | | |
| Duchesne-Strawberry Rivers | 6 | 8 | 10 |
| Whiterocks - Uintah Rivers | 3 | 13 | 15 |
| Price River | 6 | 10 | 12 |
| San Rafael River | 2 | 16 | 20 |
| Escalante River | 3 | 45 | 41 |
| Virgin River | 4 | 16 | 13 |

** Actual or Estimated 1943-57, 15 year Average.*

## SNOW

| DRAINAGE BASIN and SNOW COURSE | | | CURRENT INFORMATION | | | PAST RECORD | |
|---|---|---|---|---|---|---|---|
| NAME | NO. | ELEVATION | DATE OF SURVEY | SNOW DEPTH (Inches) | WATER CONTENT (Inches) | WATER CONTENT (Inches) LAST YEAR | WATER CONTENT (Inches) AVERAGE [a] |
| **GREAT BASIN DRAINAGE** | | | | | | | |
| **UPPER BEAR RIVER (Above Harer, Idaho)** | | | | | | | |
| CCC Camp x | 10G7 | 7500 | 12/27 | 8 | 1.6 | 7.0 | 4.9 |
| Salt River Summit x | 10G8 | 7900 | 12/27 | 11 | 2.0 | 8.7 | 6.2* |
| Trial Lake x | 10J8 | 9800 | 12/27 | 15 | 2.7 | 17.3 | 11.0* |
| **LOWER BEAR RIVER (Below Harer, Idaho)** | | | | | | | |
| Garden City Summit | 11H7 | 7600 | 12/28 | 12 | 2.5 | 11.8 | 7.5* |
| Klondike Narrows | 11H1 | 7400 | 12/28 | 6 | 1.4 | 10.2 | 7.2* |
| Tony Grove R. S. | 11H3 | 6250 | 12/28 | 2 | 0.2 | 7.5 | 4.8* |
| **OGDEN RIVER** | | | | | | | |
| Beaver Creek-Skunk Crk. | 11H14 | 7150 | 12/27 | 4 | 0.8 | - - | 5.5* |
| Ben Lomond Peak | 11H8 | 8000 | 12/27 | 12 | 2.3 | - - | 13.5 |
| Ben Lomond(lower) | 11H9 | 5850 | 12/27 | 1 | 0.1 | 12.9 | 5.8* |
| Ben Lomond Trail | 11H30 | 6000 | 12/27 | 1 | 0.1 | New Course | |
| Cutler Creek | 11H29 | 6780 | 12/27 | 7 | 1.5 | New Course | |
| Dry Bread Pond | 11H13 | 8230 | 12/27 | 11 | 2.4 | - - | 8.0* |
| Sagebrush Flat | 11H15 | 6300 | 12/27 | Trace | Trace | - - | - |
| **WEBER RIVER** | | | | | | | |
| Beaver Creek R. S. | 11J24 | 7500 | 12/27 | Trace | Trace | 6.0 | 4.1* |
| Lamb's Canyon x | 11J14 | 6600 | 12/28 | 8 | 1.6 | 6.2 | 6.0* |
| Parley's Canyon Smt. | 11J15 | 7500 | 12/28 | 12 | 2.1 | 8.7 | 7.3* |
| Silver Lake x | 11J16 | 8725 | 12/29 | 12 | 2.3 | 11.2 | 11.5 |
| Smith & Morehouse | 11J4 | 7600 | 12/28 | 7 | 1.4 | 6.6 | 4.9* |
| Trial Lake x | 10J8 | 9800 | 12/27 | 15 | 2.7 | 17.3 | 11.0* |
| **PROVO RIVER & UTAH LAKE** | | | | | | | |
| Camp Altamont | 11J20 | 7300 | 12/28 | 1 | 0.2 | 10.9 | 7.3 |
| Daniels-Strawberry Smt. | 11J23 | 8000 | 12/28 | 3 | 0.6 | 8.4 | 5.3 |
| East Portal | 11J7 | 7560 | 12/28 | 0 | 0.0 | 6.3 | 4.6* |
| Payson R. S. | 11K1 | 8050 | 12/27 | 12 | 2.8 | 8.8 | 6.0* |
| Rock Bridge | 11K2 | 6750 | 12/27 | 12 | 1.4 | 5.4 | 4.1* |
| Soapstone R. S. | 11J25 | 7800 | 12/27 | 4 | 0.5 | 6.6 | 5.3* |
| South Fork R. S. | 11J19 | 6100 | 12/28 | 0 | 0.0 | 4.4 | 4.1* |
| Strawberry Divide | 11J8 | 8000 | 12/28 | Trace | Trace | 9.1 | 8.7* |
| Timpanogos Cave Camp | 11J18 | 5500 | 12/28 | 0 | 0.0 | 1.1 | 2.2* |
| Timpanogos Divide | 11J21 | 8140 | 12/28 | 7 | 0.8 | 13.6 | 11.4 |
| Trial Lake | 10J8 | 9800 | 12/27 | 15 | 2.7 | 17.3 | 11.0* |

*(a) 1943-57, 15 year period. (b) Average of all past record. (x) Adjacent drainage. (A) Aerial observation: Water content estimated. * Estimated 1943-57, 15 year average.*

## SNOW

| DRAINAGE BASIN and SNOW COURSE NAME | NO. | ELEVATION | CURRENT INFORMATION: DATE OF SURVEY | SNOW DEPTH (Inches) | WATER CONTENT (Inches) | PAST RECORD: WATER CONTENT (Inches) LAST YEAR | AVERAGE [a] |
|---|---|---|---|---|---|---|---|
| **JORDAN RIVER & GREAT SALT LAKE** | | | | | | | |
| Farmington Canyon(1) | 11J12 | 6950 | 12/28 | 10 | 2.8 | 14.4 | 8.9* |
| Farmington Canyon(u) | 11J11 | 8000 | 12/28 | 14 | 2.8 | 16.4 | 10.4* |
| Lamb's Canyon | 11J14 | 6600 | 12/28 | 8 | 1.6 | 6.2 | 6.0* |
| Middle Canyon | 12J3 | 7000 | 12/27 | 6 | 1.5 | 6.4 | 5.3* |
| Mill D South Fork | 11J10 | 7400 | 12/29 | 10 | 2.5 | 7.6 | 7.6* |
| Parley's Canyon Smt. x | 11J15 | 7500 | 12/28 | 12 | 2.1 | 8.7 | 7.3* |
| Silver Lake | 11J16 | 8725 | 12/29 | 12 | 2.3 | 11.2 | 11.5 |
| **UPPER SEVIER RIVER (South of Richfield, Utah)** | | | | | | | |
| Bryce Canyon | 12M8 | 8000 | 12/29 | 5 | 0.5 | 1.7 | 1.9* |
| Duck Creek R. S. | 12M4 | 8560 | 12/28 | 4 | 0.4 | 5.3 | 5.0* |
| Harris Flat R. S. | 12M5 | 7700 | 12/28 | 2 | 0.2 | 3.6 | 2.5* |
| Kimberly Mine | 12L6 | 8900 | 12/28 | 13 | 1.9 | 4.7 | 6.7* |
| Long Valley Jct. x | 12M6 | 7500 | 12/28 | 3 | 0.3 | 2.8 | 1.0* |
| Midway Valley | 12M2 | 9800 | 12/27 | 12 | 2.0 | 6.1 | 9.7* |
| Widtsoe-Escalante Smt. | 11M1 | 9500 | 12/27 | 7 | 1.4 | 3.0 | 3.2* |
| Widtsoe-Escalante #2 | 11M2 | 9500 | 12/27 | 8 | 1.5 | 3.8 | 4.0 |
| Widtsoe-Escalante #3 | 11M3 | 9500 | 12/27 | 13 | 2.4 | 4.9 | - - |
| **LOWER SEVIER RIVER (Including San Pitch River)** | | | | | | | |
| Beaver Dams | 11K13 | 8000 | 12/26 | 12 | 1.9 | 6.2 | 3.9* |
| Farnsworth Lake | 11L1 | 9900 | 12/28 | 17 | 3.5 | 8.0 | 7.4* |
| G.B.R.C. Headquarters | 11K11 | 8700 | 12/31 | 10 | 1.6 | 8.4 | 5.8* |
| G.B.R.C. Meadows | 11K10 | 10000 | 12/31 | 14 | 2.6 | 11.9 | 10.0* |
| Gooseberry R. S. | 11L2 | 8400 | 12/28 | 15 | 2.8 | 5.5 | 4.6* |
| Gooseberry Reservoir x | 11K4 | 8700 | 12/27 | 6 | 1.0 | 9.9 | 7.3* |
| Mammoth R.S. - Ctnwd.Crk. | 11K3 | 8800 | 12/27 | 4 | 0.5 | 9.9 | 7.7* |
| Mt. Baldy R. S. | 11K12 | 9500 | 12/26 | 12 | 1.9 | 10.9 | 9.3* |
| **COAL CREEK** | | | | | | | |
| Midway Valley x | 12M2 | 9800 | 12/27 | 12 | 2.0 | 6.1 | 9.7* |
| Urie Flat | 12M10 | 8450 | 12/27 | 4 | 0.4 | 3.8 | 1.8* |
| Webster Flat x | 12M3 | 9200 | 12/27 | 8 | 1.1 | 5.8 | 7.6* |

*(a) 1943-57, 15 year period. (b) Average of all past record. (x) Adjacent drainage. (A) Aerial observation: Water content estimated. * Estimated 1943-57, 15 year average.*

## SNOW

| DRAINAGE BASIN and SNOW COURSE | | | CURRENT INFORMATION | | | PAST RECORD | |
|---|---|---|---|---|---|---|---|
| NAME | NO. | ELEVATION | DATE OF SURVEY | SNOW DEPTH (Inches) | WATER CONTENT (Inches) | WATER CONTENT (Inches) LAST YEAR | WATER CONTENT (Inches) AVERAGE [a] |
| **COLORADO RIVER DRAINAGE** | | | | | | | |
| **DUCHESNE RIVER** | | | | | | | |
| Daniels-Strawberry Smt.x | 11J23 | 8000 | 12/28 | 3 | 0.6 | 8.4 | 5.3 |
| East Portal x | 11J7 | 7560 | 12/28 | 0 | 0.0 | 6.3 | 4.6* |
| Indian Canyon | 10K1 | 9100 | 12/27 | 8 | 0.8 | 5.7 | 5.2* |
| Julius Park | 9J6 | 9800 | 12/27 | 7 | 1.0 | 7.0 | - - |
| Mosby Mountain | 9J5 | 9500 | 12/27 | 6 | 0.8 | 5.5 | 5.0* |
| Paradise Park | 9J3 | 10100 | 12/27 | 5 | 0.7 | 6.8 | 5.7* |
| Soapstone R. S. x | 11J25 | 7800 | 12/27 | 4 | 0.5 | 6.6 | 5.3* |
| Strawberry Divide x | 11J8 | 8000 | 12/28 | Trace | Trace | 9.1 | 8.7* |
| Trial Lake x | 10J8 | 9800 | 12/27 | 15 | 2.7 | 17.3 | 11.0* |
| **PRICE RIVER** | | | | | | | |
| Dry Valley Divide | 11K8 | 7800 | 12/31 | 2 | 0.2 | 5.2 | 4.7* |
| Gooseberry Reservoir | 11K4 | 8700 | 12/27 | 6 | 1.0 | 9.9 | 7.3* |
| Indian Canyon x | 10K1 | 9100 | 12/27 | 8 | 0.8 | 5.7 | 5.2* |
| Jones Ranch | 11K7 | 7600 | 12/31 | 2 | 0.2 | 3.2 | 2.6* |
| Mammoth R.S.- Ctnwd.Crk.x | 11K3 | 8800 | 12/27 | 4 | 0.5 | 9.9 | 7.7* |
| Mud Creek | 11K33 | 8300 | 12/31 | 7 | 1.1 | 6.1 | 5.0* |
| **SAN RAFAEL RIVER** | | | | | | | |
| G.B.R.C. Meadows x | 11K10 | 10000 | 12/31 | 14 | 2.6 | 11.9 | 10.0* |
| Gooseberry Reservoir x | 11K4 | 8700 | 12/27 | 6 | 1.0 | 9.9 | 7.3* |
| Mammoth R.S.- Ctnwd.Crk.x | 11K3 | 8800 | 12/27 | 4 | 0.5 | 9.9 | 7.7* |
| Mt. Baldy R. S. x | 11K12 | 9500 | 12/26 | 12 | 1.9 | 10.9 | 9.3* |
| **FREMONT RIVER** | | | | | | | |
| Farnsworth Lake x | 11L1 | 9900 | 12/28 | 17 | 3.5 | 8.0 | 7.4* |
| **MUDDY RIVER** | | | | | | | |
| Mt. Baldy R. S. x | 11K12 | 9500 | 12/26 | 12 | 1.9 | 10.9 | 9.3* |
| **ESCALANTE RIVER** | | | | | | | |
| Widtsoe-Escalante Smt. | 11M1 | 9500 | 12/27 | 7 | 1.4 | 3.0 | 3.2* |
| Widtsoe-Escalante #2 | 11M2 | 9500 | 12/27 | 8 | 1.5 | 3.8 | 4.0* |
| Widtsoe-Escalante #3 | 11M3 | 9500 | 12/27 | 13 | 2.4 | 4.9 | - - |
| **VIRGIN RIVER** | | | | | | | |
| Duck Creek R. S. | 12M4 | 8560 | 12/28 | 4 | 0.4 | 5.3 | 5.0* |
| Harris Flat R. S. x | 12M5 | 7700 | 12/28 | 2 | 0.2 | 3.6 | 2.5* |
| Long Valley Junction | 12M6 | 7500 | 12/28 | 3 | 0.3 | 2.8 | 1.0* |
| Midway Valley x | 12M2 | 9400 | 12/27 | 12 | 2.0 | 6.1 | 9.7* |
| Webster Flat | 12M3 | 9200 | 12/27 | 8 | 1.1 | 5.8 | 7.6* |

*(a) 1943-57, 15 year period. (b) Average of all past record. (x) Adjacent drainage. (A) Aerial observation: Water content estimated. * Estimated 1943-57, 15 year average.*




# UTAH and BEAR RIVER BASINS

OCTOBER 1962

# INDEX TO UTAH AND BEAR RIVER BASIN

| NO. | STATE | NAME | SEC. | TWP. | RGE. | ELEV. |
|---|---|---|---|---|---|---|

## GREAT BASIN DRAINAGE

### UPPER BEAR RIVER (above Harer, Idaho)

| | | | | | | |
|---|---|---|---|---|---|---|
| 10C11 | W | Big Park | 7 | 27N | 117W | 8700 |
| 10J6 | U | Burts-Miller Ranch | 19 | 3N | 10E | 7900 |
| 10G7 | W | CCC Camp x | 9 | 29N | 118W | 7500 |
| 10J7 | U | Hayden Fork | 1 | 1S | 9E | 9300 |
| 10C12 | W | Kelly Ranger Station | 13 | 26N | 118W | 8200 |
| 11H12P | U | Monte Cristo R.S. | 4 | 8N | 4E | 8960 |
| 10G10 | W | Piney LaSarge x | 19 | 29N | 114W | 8820 |
| 10G6 | W | Poison Meadows x | 29 | 30N | 116W | 8500 |
| 10G8P | W | Salt River Summit x | 32 | 29N | 118W | 7900 |
| 10J17P | U | Stillwater Camp | 32 | 2N | 10E | 8550 |

### LOWER BEAR RIVER (below Harer, Idaho)

| | | | | | | |
|---|---|---|---|---|---|---|
| 11H14M | U | Beaver Creek-Skunk Creek | 22 | 8N | 3E | 7150 |
| 11G11 | I | Christensen Ranch | 27 | 13S | 41E | 5600 |
| 11G12 | I | Cub River Ranger Station | 5 | 15S | 41E | 5400 |
| 11G14a | I | Dry Basin | 30 | 13S | 42E | 7900 |
| 11H13MP | U | Dry Bread Pond | 19 | 8N | 4E | 8230 |
| 12G4 | I | Dry Creek Flat | 31 | 13S | 37E | 6350 |
| 11G6 | I | Emigrant Summit | 21 | 12S | 42E | 7350 |
| 11G7 | I | Emigration Canyon (mouth) | 24 | 12S | 42E | 6500 |
| 11G8M | I | Franklin Basin | 1 | 16S | 41E | 8000 |
| 11H7MP | U | Garden City Summit | 35 | 14N | 4E | 7600 |
| 11G15a | I | Horseshoe Basin | 31 | 13S | 42E | 8000 |
| 11H1MP | U | Klondike Narrows | 10 | 14N | 3E | 7400 |
| 11G13 | I | Liberty Springs | 7 | 13S | 42E | 8420 |
| 11H26 | U | Little Bear (lower) | 15 | 8N | 1E | 5800 |
| 11H25P | U | Little Bear (upper) | 22 | 8N | 1E | 6550 |
| 11H12P | U | Monte Cristo R.S. | 3 | 8N | 4E | 8960 |
| 11H6 | U | Mt. Logan | 3 | 11N | 2E | 9000 |
| 12G3 | I | Oxford Mountain | 32 | 13S | 37E | 6800 |
| 11G5 | I | Slug Creek Divide | 15 | 10S | 44E | 7225 |
| 11H4 | U | Spring Hollow (lower) | 26 | 12N | 2E | 7000 |
| 11H5 | U | Spring Hollow (upper) | 35 | 12N | 2E | 8000 |
| 11H27 | U | Steep Hollow #1 | 7 | 14N | 3E | 8500 |
| 11H28 | U | Steep Hollow #2 | 9 | 14N | 3E | 7700 |
| 11C9 | I | Strawberry Creek | 9 | 13S | 41E | 5800 |
| 11G10 | I | Strawberry Mink Divide | 14 | 13S | 41E | 6800 |
| 11H3M | U | Tony Grove Ranger Station | 11 | 13N | 3E | 6250 |
| 11G4P | I | Willow Flat | 2 | 15S | 41E | 6100 |

### OGDEN RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11H14M | U | Beaver Creek-Skunk Creek | 22 | 8N | 3E | 7150 |
| 11H8 | U | Ben Lomond Peak | 3 | 7N | 1E | 8000 |
| 11H9P | U | Ben Lomond (lower) | 1 | 7N | 1W | 5850 |
| 11H13MP | U | Dry Bread Pond | 19 | 8N | 4E | 8230 |
| 11H12P | U | Monte Cristo R.S. | 3 | 8N | 4E | 8960 |
| 11H10 | U | Mt. Ogden | 5 | 5N | 1E | 8600 |
| 11H15P | U | Sagebrush Flat | 21 | 7N | 3E | 6300 |
| 11H11P | U | Snow Basin | 32 | 6N | 1E | 6420 |

### WEBER RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11J24 | U | Beaver Creek R.S. | 28 | 2S | 7E | 7500 |
| 11J1 | U | Chalk Creek #1 | 4 | 1N | 8E | 9100 |
| 11J2MP | U | Chalk Creek #2 | 17 & 20 | 2N | 8E | 8000 |
| 11J3M | U | Chalk Creek #3 | 7 | 2N | 8E | 7500 |
| 11J12P | U | Farmington Canyon (lower) x | 14 | 3N | 1E | 6950 |
| 11J11 | U | Farmington Canyon (upper) x | 26 | 3N | 1E | 8000 |
| 11J14 | U | Lamb's Canyon x | 19 | 1S | 3E | 6600 |
| 11J15P | U | Parley's Canyon Summit | 9 & 10 | 1S | 3E | 7600 |
| 11J6 | U | Reddon Mine (lower) | 1 | 2S | 6E | 8500 |
| 11J5 | U | Reddon Mine (upper) | 1 | 2S | 6E | 9000 |
| 11J16P | U | Silver Lake (Brighton) x | 35 | 2S | 3E | 8725 |
| 11J4P | U | Smith & Morehouse | 25 | 1N | 7E | 7600 |
| 10J8P | U | Trial Lake x | 5 | 2S | 9E | 9300 |

### PROVO RIVER & UTAH LAKE

| | | | | | | |
|---|---|---|---|---|---|---|
| 11J20 | U | Camp Altamont | 29 | 4S | 3E | 7300 |
| 11K21 | U | Clear Creek Ridge #1 | 18 | 11S | 6E | 9200 |
| 11K22P | U | Clear Creek Ridge #2 | 9 | 11S | 6E | 8000 |
| 11K23 | U | Clear Creek Ridge #3 | 27 | 10S | 6E | 6600 |
| 11J23MP | U | Daniels-Strawberry Summit | 20 | 2S | 12W | 8000 |
| 11J17P | U | Dutchman R.S. | 27 | 3S | 3E | 7560 |
| 11J7P | U | East Portal | 36 | 7S | 6E | 7560 |
| 11J22P | U | Hobble Creek Summit | 20 | 7S | 5E | 7420 |
| 11J31 | U | Packard Canyon | 21 | 7S | 5E | 6400 |
| 11K1P | U | Payson R.S. | 30 | 10S | 3E | 8050 |
| 11K2 | U | Rock Bridge | 14 | 10S | 2E | 6750 |
| 11J25P | U | Soapstone R.S. | 9 | 3S | 8E | 7800 |
| 11J19 | U | South Fork R.S. | 24 | 4S | 2E | 6100 |
| 11J8 | U | Strawberry Divide | 34 & 35 | 7S | 6E | 8000 |
| 11J18 | U | Timpanogos Cave Camp | 27 | 4S | 2E | 5500 |
| 11J21P | U | Timpanogos Divide | 33 | 4S | 3E | 8140 |
| 10J8P | U | Trial Lake | 5 | 2S | 9E | 9800 |

### JORDAN RIVER & GREAT SALT LAKE

| | | | | | | |
|---|---|---|---|---|---|---|
| 12J2 | U | Bevan's Cabin | 24 | 4S | 4W | 6450 |
| 11J12P | U | Farmington Canyon (lower) | 14 | 3N | 1E | 6950 |
| 11J11 | U | Farmington Canyon (upper) | 26 | 3N | 1E | 8000 |
| 11J14 | U | Lamb's Canyon | 19 | 1S | 3E | 6600 |
| 12J3P | U | Middle Canyon | 8 | 4S | 3W | 7000 |
| 11J10 | U | Mill D South Fork | 18 | 2S | 3E | 7400 |
| 11J15P | U | Parley's Canyon Summit x | 9 & 10 | 1S | 3E | 7600 |
| 12J1 | U | Rocky Basin-Settlement Canyon | 30 | 4S | 3W | 8900 |
| 11J16P | U | Silver Lake (Brighton) | 35 | 2S | 3E | 8725 |

### UPPER SEVIER RIVER (South of Richfield, Utah)

| | | | | | | |
|---|---|---|---|---|---|---|
| 12L7P | U | Big Flat x | 18 | 29S | 4W | 10290 |
| 12L4P | U | Box Creek | 33 | 26S | 2W | 9800 |
| 12M8 | U | Bryce Canyon | 36 | 36S | 4W | 8000 |
| 12M13P | U | Castle Valley | 22 | 36S | 8W | 9700 |
| 12M1P | U | Cedar Breaks | 2 | 37S | 9W | 10390 |
| 12M4P | U | Duck Creek R.S. | 11 | 38S | 8W | 8560 |
| 11L3 | U | Fish Lake x | 35 | 26S | 1E | 8700 |
| 12M5 | U | Harris Flat | 24 | 38S | 7W | 7700 |
| 12L6P | U | Kimberly Mine | 11 | 27S | 5W | 9100 |
| 12M6 | U | Long Valley Junction x | 22 | 38S | 6W | 7500 |
| 12M2M | U | Midway Valley | 26 | 37S | 9W | 9800 |
| 12M7P | U | Panguitch Lake | 4 & 5 | 36S | 7W | 8200 |
| 12L5 | U | Squaw Springs | 3 | 27S | 2W | 9300 |
| 11M1 | U | Widtsoe-Escalante Summit | 22 | 34S | 1W | 9500 |
| 11M2 | U | Widtsoe-Escalante #2 | 22 | 34S | 1W | 9500 |
| 11M3P | U | Widtsoe-Escalante #3 | 22 | 34S | 1W | 9500 |
| 11M4P | U | Widtsoe R.S. | 22 | 34S | 2W | 7600 |

### LOWER SEVIER RIVER (Including San Pitch River)

| | | | | | | |
|---|---|---|---|---|---|---|
| 12L3 | U | Bear Canyon | 17 | 22S | 3W | 7200 |
| 11K13P | U | Beaver Dams | 27 | 19S | 3E | 8000 |
| 11L1P | U | Farnsworth Lake | 27 & 33 | 23S | 2E | 9900 |
| 11K11P | U | G.B.R.C. Headquarters | 21 | 17S | 4E | 8700 |
| 11K10 | U | G.B.R.C. Meadows | 26 & 27 | 17S | 4E | 10000 |
| 11L2 | U | Gooseberry R.S. | 32 | 23S | 2E | 8400 |
| 11K4P | U | Gooseberry Reservoir x | 25 | 13S | 5E | 8700 |
| 11K5 | U | Huntington-Horseshoe x | 12 | 14S | 5E | 9800 |
| 11K3MP | U | Mammoth R.S. -Cottonwood Creek | 13 | 13S | 5E | 8800 |
| 11K34 | U | Middle Fork | 16 | 13S | 4E | 9600 |
| 11K12P | U | Mt. Baldy R.S. | 19 | 19S | 4E | 9500 |
| 12L1P | U | Pine Creek | 24 | 22S | 4W | 8700 |
| 11K36 | U | Rees's Flat | 24 | 15S | 2E | 7300 |
| 12L11P | U | Shingle Mill | 5 | 22S | 3W | 6200 |
| 11K35 | U | Thistle Flat | 24 | 18S | 4E | 8500 |

### BEAVER RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 12L7P | U | Big Flat | 18 | 29S | 4W | 10290 |
| 12L9 | U | Merchant's Valley | 8 & 9 | 29S | 5W | 8700 |
| 12L8 | U | Otter Lake | 1 | 29S | 5W | 9300 |

### PAROWAN CREEK

| | | | | | | |
|---|---|---|---|---|---|---|
| 12M12 | U | Ed Ward Flat | 17 | 35S | 8W | 8300 |
| 12M11P | U | Yankee Reservoir | 20 | 35S | 8W | 8700 |

### COAL CREEK

| | | | | | | |
|---|---|---|---|---|---|---|
| 12M1P | U | Cedar Breaks x | 2 | 37S | 9W | 10390 |
| 12M2M | U | Midway Valley x | 26 | 37S | 9W | 9800 |
| 12M10 | U | Urie Flat | 11 | 37S | 10W | 8450 |
| 12M3MP | U | Webster Flat x | 20 | 37S | 9W | 9200 |

### ENTERPRISE TO NEW HARMONY DRAINAGES

| | | | | | | |
|---|---|---|---|---|---|---|
| 13M4MP | U | Little Grassy Creek | 15 | 38S | 17W | 6100 |
| 13M2MP | U | Long Flat | 2 | 38S | 14W | 8000 |

## COLORADO RIVER DRAINAGE

### UPPER GREEN RIVER IN UTAH (above Duchesne River)

| | | | | | | |
|---|---|---|---|---|---|---|
| 9J11a | U | Ashley Twin Lakes | 20 | 1S | 19E | 10500 |
| 10J21P | U | Black's Fork G.S. -East Fork | 25 | 2N | 12E | 9300 |
| 10J22P | U | Black's Fork Junction | 33 | 3N | 12E | 8925 |
| 10J23a | U | Buck Pasture | 14 | 1N | 11E | 9700 |
| 10J4P | U | Hewinta G.S. | 33 | 3N | 13E | 9500 |
| 9J8 | U | Hickerson Park | 24 | 2N | 17E | 9100 |
| 10J1 | U | Hole-in-the-Rock | 13 | 2N | 15E | 9150 |
| 10J3 | U | Hole-in-the-Rock G.S. | 32 | 3N | 16E | 8300 |
| 9J2 | U | King's Cabin (lower) | 23 & 26 | 1S | 21E | 8600 |
| 9J1P | U | King's Cabin (upper) | 22 | 1S | 21E | 8730 |
| 10J2 | U | Middle Beaver Creek | 31 | 3N | 16E | 8550 |
| 9J7P | U | Spirit Lake | 10 | 1N | 17E | 10300 |
| 10J20A | U | Steel Creek Park | 17 | 2N | 13E | 9900 |
| 9J12a | U | Windy Park | 1 | 1S | 20E | 9400 |

### DUCHESNE RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 10J27a | U | Atwood Basin | 21 | 1S | 15E | 10250 |
| 10J9 | U | Brown Duck Lake | 2 | 2N | 6W | 10300 |
| 9J9a | U | Chepeta-Whiterocks Lakes | 3 | 1S | 17E | 10300 |
| 11J32MP | U | Currant Creek | 31 | 1S | 10W | 7800 |
| 11J23MP | U | Daniels-Strawberry Summit x | 20 | 2S | 12W | 8000 |
| 11J7P | U | East Portal x | 36 | 7S | 6E | 7560 |
| 10J26a | U | Five Point Lake | 28 | 4N | 5W | 11000 |
| 10K1P | U | Indian Canyon | 2 | 11S | 10E | 9100 |
| 10J19 | U | Jackson Park | 23 | 3N | 4W | 11300 |
| 9J6P | U | Julius Park | 20 | 3N | 1E | 9200 |
| 10J25a | U | Lakefork Basin | 13 | 4N | 7W | 11100 |
| 10J10P | U | Lakefork Mountain | 2 & 3 | 2N | 5W | 10200 |
| 10J11 | U | Lakefork Mountain #2 | 17 | 2N | 4W | 8900 |
| 10J12 | U | Lakefork Mountain #3 | 29 | 2N | 4W | 8100 |
| 9J5 | U | Mosby Mountain | 27 | 2S | 18E | 9500 |
| 9J3P | U | Paradise Park | 7 | 3N | 1E | 10100 |
| 10J18P | U | Rock Creek | 21 | 2N | 7W | 7900 |
| 10J25P | U | Soapstone R.S. x | 9 | 3S | 8E | 7800 |
| 11J8 | U | Strawberry Divide x | 34 & 35 | 7S | 6E | 8000 |
| 10J8P | U | Trial Lake x | 5 | 2S | 9E | 9800 |
| 10K2MP | U | White River #1 x | 11 | 10S | 8E | 8550 |

### PRICE RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 10K5M | U | Corral | 32 | 13S | 14E | 8200 |
| 11K8 | U | Dry Valley Divide | 20 | 12S | 8E | 7800 |
| 11K4P | U | Gooseberry Reservoir | 25 | 13S | 5E | 8700 |
| 10K3M | U | Grassy Trail Creek-Left Fork | 2 | 14S | 13E | 7970 |
| 11K5 | U | Huntington-Horseshoe | 12 | 14S | 5E | 9800 |
| 10K1P | U | Indian Canyon x | 2 | 11S | 10E | 9100 |
| 11K7 | U | Jones Ranch | 32 | 12S | 7E | 7600 |
| 11K3MP | U | Mammoth R.S. - Cottonwood Creek x | 13 & 23 | 13S | 5E | 8800 |
| 11K33MP | U | Mud Creek | 4 | 14S | 7E | 8300 |
| 10K6 | U | Timberline | 28 | 13S | 13E | 9100 |
| 10K2MP | U | White River #1 | 11 | 10S | 8E | 8550 |
| 11K24 | U | White River #2 | 9 | 10S | 8E | 7600 |
| 11K25 | U | White River #3 | 30 | 10S | 8E | 7400 |

### SAN RAFAEL RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11K31P | U | Buck Flat | 23 | 19S | 4E | 9400 |
| 11K4P | U | Gooseberry Reservoir | 25 | 13S | 5E | 8700 |
| 11K5 | U | Huntington-Horseshoe | 12 | 14S | 5E | 9800 |
| 11K28P | U | Red Pine Ridge | 5 | 16S | 6E | 9400 |
| 11K38 | U | Rush Pond | 24 | 19S | 4E | 9800 |
| 11K9 | U | Seeley Creek R.S. | 25 | 17S | 4E | 10000 |
| 11K27P | U | Stuart R.S. | 8 & 9 | 15S | 7E | 7950 |
| 11K26 | U | Switchback | 14 | 14S | 6E | 8600 |
| 11K29 | U | Upper Joe's Valley | 21 | 16S | 6E | 8800 |
| 11K32 | U | Wrigley Creek | 27 | 19S | 5E | 9000 |

### MUDDY RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11K14 | U | Black's Fork | 34 | 20S | 4E | 9200 |
| 11K15 | U | Dill's Camp | 27 | 20S | 4E | 9200 |

### FREMONT RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11L4P | U | Black's Flat-U.M. Creek | 33 | 24S | 3E | 9250 |
| 11L5 | U | Donkey Reservoir | 9 | 30S | 4E | 9800 |
| 11L3 | U | Fish Lake | 35 | 26S | 1E | 8700 |
| 11L6 | U | Johnson Valley | 24 | 25S | 2E | 8250 |

### ESCALANTE RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 11M1 | U | Widtsoe-Escalante Summit | 22 | 34S | 1W | 9500 |
| 11M2 | U | Widtsoe-Escalante #2 | 22 | 34S | 1W | 9500 |
| 11M3P | U | Widtsoe-Escalante #3 | 22 | 34S | 1W | 9500 |

### VIRGIN RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 12M1P | U | Cedar Breaks x | 2 | 37S | 9W | 10390 |
| 12M4P | U | Duck Creek R.S. x | 11 | 38S | 8W | 8560 |
| 12M5 | U | Harris Flat x | 24 | 38S | 7W | 7700 |
| 12M6 | U | Long Valley Junction | 22 | 38S | 6W | 7500 |
| 12M2M | U | Midway Valley x | 26 | 37S | 9W | 9800 |
| 12M3MP | U | Webster Flat | 20 | 37S | 9W | 9200 |

### SOUTHEASTERN UTAH DRAINAGES

| | | | | | | |
|---|---|---|---|---|---|---|
| 9M1P | U | Buckboard Flat | 36 | 33S | 22E | 9000 |
| 9M2P | U | Camp Jackson | 22 | 34S | 22E | 8600 |
| 9L1 | U | LaSal Mountain | 5 | 27S | 24E | 9800 |
| 9L2P | U | LaSal Mountain (upper) | 3 | 27S | 24E | 9400 |

## COLUMBIA RIVER DRAINAGE

### RAFT RIVER

| | | | | | | |
|---|---|---|---|---|---|---|
| 13H2 | I | Clear Creek Meadows | 26 | 14N | 14W | 9050 |
| 13H1 | I | One Mile Summit | 19 | 14N | 14W | 7330 |
| 13H3a | I | ViPont | 17 | 14N | 17W | 7650 |

### LEGEND

Numbering system (example)

| | |
|---|---|
| 10J7 | SNOW COURSE ONLY |
| 10J7P | SNOW COURSE AND PRECIPITATION GAGE |
| 10J7M | SNOW COURSE AND SOIL MOISTURE STATION |
| 10J7A | SNOW COURSE AND AERIAL MARKER |
| 10J7MA | SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER |
| 10J7MP | SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE |
| 10J7m | SOIL MOISTURE STATION ONLY |
| 10J7a | AERIAL MARKER ONLY |
| 10J7p | STORAGE PRECIPITATION GAGE ONLY |
| x | ADJACENT DRAINAGE |

# Agencies Cooperating in Utah Snow Surveys

## U.S. GOVERNMENT AGENCIES

- U.S. Department of Agriculture
  - Soil Conservation Service
  - Forest Service
- U.S. Department of Commerce
  - Weather Bureau
- U.S. Department of Interior
  - Bureau of Reclamation
  - Geological Survey
  - National Park Service

## STATE AGENCIES

- Utah Agricultural Experiment Station
- Utah Fish and Game Department
- Utah State Engineer
  - Little Bear River Commissioner
  - Price River Commissioner
  - Provo River Commissioner
  - Sevier River Commissioner
  - Spanish Fork River Commissioner
- Utah Water and Power Board

## MUNICIPALITIES

- Manti
- Salt Lake City

## ORGANIZED PUBLIC AGENCIES

- Beaver River Water Users Association
- Board of Canal Presidents - Jordan River
- Emery Canal and Reservoir Company
- Moon Lake Water Users Association
- Ogden River Water Users Association
- Provo River Water Users Association
- Strawberry Water Users Association
- Sevier River Water Users Association

## PRIVATE AGENCIES

- Kaiser Steel Corporation

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
222 S.W. TEMPLE
SALT LAKE CITY, UTAH

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

# FIRST CLASS MAIL



FEDERAL - STATE - PRIVATE

## COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation , navigation , mining and industry

*"The Conservation of Water begins with the Snow Survey"*